

IXORTA

— PREMIUM EXPORT LINE —

Agricultural Machinery Catalogue

Tractors, tillers, irrigation, mowing,
seeding and field equipment solutions.



2026

Engineering for modern agriculture.

IXORTA supplies reliable agricultural machinery and equipment built to perform in every field condition. Our product portfolio covers field preparation, planting, irrigation, crop care, transport and harvesting support — helping farmers work more efficiently and achieve better results.



DURABLE EQUIPMENT

Built with quality materials and engineered for long service life in tough field conditions.



EXPORT SUPPORT

Professional export service with documentation, logistics and after-sales assistance.



CUSTOM CONFIGURATION

Flexible options and configurations to match different needs, crops and farm sizes.



SPARE PARTS COORDINATION

Reliable spare parts sourcing and fast coordination to keep your machines running.



OPERATOR COMFORT

Ergonomic design and user-friendly features for safer, easier and more productive work.



WIDE PRODUCT RANGE

A comprehensive range of machinery for every stage of modern agricultural operations.

TRACTORS



TRACTOR IMPLEMENTS



WALKING TRACTORS



TILLERS / CULTIVATORS



MEADOW MOWERS



PUMPS & IRRIGATION



CARRIERS



SPRAYERS



SEEDERS & PLANTERS



Our product range is carefully curated from leading Turkish agricultural machinery manufacturers, combining quality, performance and value for farmers around the world.

Agricultural Tractor Series

Powerful, fuel efficient and durable tractors designed for every farming application.



IX-AG-TR75

	Engine Power	75 HP
	Drive Type	4WD
	Transmission	12F + 12R
	PTO Power	54/1000 rpm
	Lift Capacity	2500 kg



IX-AG-TR90

	Engine Power	90 HP
	Drive Type	4WD
	Transmission	12F + 12R
	PTO Power	54/1000 rpm
	Lift Capacity	3000 kg



IX-AG-TR110

	Engine Power	110 HP
	Drive Type	4WD
	Transmission	16F + 16R
	PTO Power	54/1000 rpm
	Lift Capacity	3500 kg



IX-AG-TR130

	Engine Power	130 HP
	Drive Type	4WD
	Transmission	16F + 16R
	PTO Power	54/1000 rpm
	Lift Capacity	3500 kg

KEY FEATURES



Fuel Efficiency
Lower consumption,
higher savings.



4WD Traction
Superior grip and control
on any terrain.



Operator Comfort
Ergonomic cabin for
long working hours.



Strong Hydraulics
High lift capacity for
heavy implements.



Field Versatility
Built for multiple tasks
across all seasons.



IXORTA

— PREMIUM EXPORT LINE —

Tractor Equipment & Implements

Engineered to extend tractor productivity across soil preparation, transport and nutrient application. Built for reliability, durability and consistent performance in every field condition.

ROTARY TILLER IX-IMP-RT180



	Working Width	1800 mm
	Required Power	45 – 70 HP
	Weight	310 kg
	Application	Primary tillage, seedbed preparation, soil pulverizing


DISC PLOUGH IX-IMP-DP16



	No. of Discs	16
	Working Width	1200 mm
	Required Power	50 – 75 HP
	Application	Primary tillage, soil turning, residue burial

FERTILIZER SPREADER IX-IMP-FS800



	Capacity	800 L
	Required Power	35 – 60 HP
	Weight	180 kg
	Application	Solid fertilizer uniform distribution

AGRICULTURAL TRAILER IX-IMP-AT4T



	Load Capacity	4 Ton
	Body Size (L × W × H)	3000 × 1800 × 600 mm
	Axle	Single Axle
	Application	Transport of crops, inputs, soil, and farm materials

Walking Tractor Series

Compact, powerful and versatile walking tractors designed for small farms, orchards and inter-cultivation.



IX-AG-WT10

	Engine Power	10 HP
	Transmission	2F + 1R
	Tilling Width	800 – 1000 mm
	Machine Weight	120 kg

IX-AG-WT12

	Engine Power	12 HP
	Transmission	2F + 1R
	Tilling Width	900 – 1300 mm
	Machine Weight	130 kg

IX-AG-WT15

	Engine Power	12 HP
	Transmission	2F + 1R
	Tilling Width	1000 – 1300 mm
	Machine Weight	145 kg

-  Durable Construction
-  Easy Operation & Maintenance
-  Low Fuel Consumption
-  Multi-Implement Compatibility

Rotary Tillers / Motor Cultivators

High performance tillers for perfect soil preparation and higher crop yield.



IX-AG-TL80

	Engine Power	7.5 HP
	Tilling Width	800 mm
	Tilling Depth	150 – 300 mm
	No. of Blades	24 Pcs
	Weight	85 kg

IX-AG-TL100

	Engine Power	9 HP
	Tilling Width	1000 mm
	Tilling Depth	150 – 300 mm
	No. of Blades	28 Pcs
	Weight	95 kg

IX-AG-TL120

	Engine Power	12 HP
	Tilling Width	1200 mm
	Tilling Depth	150 – 300 mm
	No. of Blades	32 Pcs
	Weight	110 kg

IX-AG-TL135

	Engine Power	13 HP
	Tilling Width	1350 mm
	Tilling Depth	150 – 300 mm
	No. of Blades	36 Pcs
	Weight	120 kg

-  High Tilling Efficiency
-  Adjustable Tilling Depth & Width
-  Powerful & Reliable Engines
-  Built for Long Service Life

Meadow Mowers

Reliable mowers for grass, hay and forage with high cutting performance.



IX-AG-MW135

	Working Width	1.35 m
	No. of Discs	4
	PTO Speed	540 rpm
	Required Power	16 – 25 HP
	Weight	230 kg



IX-AG-MW165

	Working Width	1.65 m
	No. of Discs	6
	PTO Speed	540 rpm
	Required Power	25 – 35 HP
	Weight	270 kg



IX-AG-MW210

	Working Width	2.10 m
	No. of Discs	6
	PTO Speed	540 rpm
	Required Power	35 – 45 HP
	Weight	320 kg

KEY FEATURES



Clean cut
performance



Durable
frame



High field
efficiency



Low
maintenance

Pumps & Irrigation

CATALOGUE 2026

Efficient water transfer and irrigation solutions designed to maximize productivity and support every farm operation.

PREMIUM EXPORT LINE

www.ixorta.com



IX-AG-MP30
Portable Water Pump

	Engine Power	7.5 HP
	Inlet / Outlet	3" / 3"
	Max. Flow	1000 L/min
	Max. Head	30 m



IX-AG-MP40
Diesel Motor Pump

	Engine Power	10 HP
	Inlet / Outlet	4" / 4"
	Max. Flow	1500 L/min
	Max. Head	40 m



IX-AG-MP60
High-Flow Pump

	Engine Power	15 HP
	Inlet / Outlet	6" / 6"
	Max. Flow	2000 L/min
	Max. Head	30 m



IX-AG-IR100
Drip Irrigation Support Unit

	Coverage	Up to 50 ha
	Pump Type	Centrifugal
	Application	Drip Irrigation



High efficiency performance



Durable build for tough conditions



Easy maintenance & operation



Consistent flow & pressure



Fuel efficient solutions

01

Agricultural Carriers

Strong and durable carriers for efficient transport across farms, orchards and rough terrain.



IX-AG-CR300

	Engine Power	10 HP
	Load Capacity	300 kg
	Drive System	4x2
	Gear Type	4F + 1R
	Cargo Box Size	1500 × 1100 × 300 mm



IX-AG-CR500

	Engine Power	13 HP
	Load Capacity	300 kg
	Drive System	4x4
	Gear Type	4F + 1R
	Cargo Box Size	1800 × 1300 × 400 mm

02

Sprayers

Efficient crop protection with uniform spraying and easy operation.



IX-AG-SP400

	Tank Capacity	400 L
	Pump Type	Diaphragm
	Boom Width	10 m
	No. of Nozzles	20 Pcs
	Required Power	25 – 40 HP

03

Seeders & Planters

Precision seeders for accurate planting and higher productivity.



IX-AG-SE11

	No. of Rows	11
	Row Spacing	70 cm
	Hopper Capacity	300 L
	Working Width	3.0 m
	Required Power	40 – 60 HP

IXORTA

— PREMIUM EXPORT LINE —

Build stronger harvests with IXORTA.

We are ready to support your next project with reliable machinery and long-term partnership.

Share your farm type, field size, crop focus, required equipment and destination market — and our team will prepare the best solution for you.



01 PROJECT INQUIRY

Tell us about your needs and project details.

Our team will review your requirements carefully.



02 EQUIPMENT PROPOSAL

We will recommend the most suitable machinery and provide a competitive proposal tailored to your project.



03 CONTACT DETAILS

🌐 ixorta.com

✉ info@ixorta.com

☎ +90 551 280 32 99

📍 Konya / Turkey



REQUEST A QUOTATION

GLOBAL SOLUTIONS. STRONGER FARMS.